

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	344	362/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/12 20:45
L2	527	362/202.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/12 20:45
L3	782	362/205.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/12 20:45
L4	56	362/200.ccls.	US-PGPUB	OR	ON	2006/02/12 20:45
L5	93	362/202.ccls.	US-PGPUB	OR	ON	2006/02/12 20:45
L6	72	362/205.ccls.	US-PGPUB	OR	ON	2006/02/12 20:45
L7	69	362/208.ccls.	US-PGPUB	OR	ON	2006/02/12 20:45
L8	180	362/276.ccls.	US-PGPUB	OR	ON	2006/02/12 20:45
L9	209	362/231.ccls.	US-PGPUB	OR	ON	2006/02/12 20:45
L10	27	362/394.ccls.	US-PGPUB	OR	ON	2006/02/12 20:45
L11	53	362/362.ccls.	US-PGPUB	OR	ON	2006/02/12 20:45
L12	376	362/800.ccls.	US-PGPUB	OR	ON	2006/02/12 20:48
L13	1201	(flashlight or flash\$light) and (sequence or series)	US-PGPUB	OR	ON	2006/02/12 20:49
L14	236	(flashlight or flash\$light) and ((sequence or series) SAME (intens\$4 or bright\$5))	US-PGPUB	OR	ON	2006/02/12 20:50
L15	65	l14 and "362"/\$.ccls.	US-PGPUB	OR	ON	2006/02/12 20:50
S1	332	362/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 14:58
S2	505	362/202.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 14:58
S3	764	362/205.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 14:58
S4	481	362/208.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 14:58

S5	771	362/276.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 14:58
S6	635	362/231.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 14:58
S7	365	362/394.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 14:58
S8	680	362/362.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 14:59
S9	1710	362/800.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 14:59
S10	1450	(flashlight or flash\$light) and (diode or "LED") and ((sequen\$5 or condition\$4 or adjust\$5) with (switch or button or control\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 16:59
S11	298	S10 and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:03
S12	258	362/206.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:10
S13	75	S12 and (pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:14
S14	177	S10 and (pressure) and (brightness or dimmer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:17
S15	28	S10 and (pressure with (brightness or dimmer or intensi\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:17
S16	13	S10 and husar.xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:24

S17	22	husar.xp. and (flashlight or flash\$light) and ((adjust\$4) with (switch or button))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:32
S18	2	("4388673").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/01 15:34
S19	60	(flashlight or flash\$light) and (diode or "LED") and (button with intensity)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 16:40
S20	52	(flashlight or flash\$light) and (diode or "LED") and (button with brightness)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 16:45
S21	24	(flashlight or flash\$light) and (diode or "LED") and ("variable output")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 16:44
S22	13	(flashlight or flash\$light) and (diode or "LED") and (button with dimmer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 16:46
S23	57	(flashlight or flash\$light) and (diode or "LED") and (button with sequen\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 16:46
S24	567	(flashlight or flash\$light) and (diode or "LED") and ((sequen\$5 or condition\$4 or adjust\$5) with (switch or button or control\$5)) and (rotat\$6 and contact\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 17:00
S25	177	(flashlight or flash\$light) and (diode or "LED") and ((sequen\$5 or condition\$4 or adjust\$5) with (switch or button or control\$5)) and (rotat\$6 with contact\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 17:00
S26	14	(flashlight or flash\$light) and (diode or "LED") and ((sequen\$5 or condition\$4 or adjust\$5) with ((switch or button or control\$5)) SAME (rotat\$6 with contact\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 17:02
S27	21	(flashlight or flash\$light) and (diode or "LED") and (((sequen\$5 or condition\$4 or adjust\$5) with ((switch or button or control\$5)) SAME (rotat\$6 same contact\$)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 17:03